



HABITECH  
Cable 2022

[www.habitech.co.uk](http://www.habitech.co.uk)



For over 15 years Habitech have been providing Integrators and Installers with high quality CPR compliant bulk cable solutions covering Fibre, Network, Speaker, Control and Coaxial as well as an extensive range of HDMI interconnects from 0.5m to 100m.

Paired with a vast selection of fibre connectors, CATx plugs and AV jacks, all from stock in our UK warehouse for next day delivery we've got your connectivity needs covered.

With custom cut lengths on selected cables, and knowledgeable, friendly staff to assist you, Habitech can be your one-stop cable and connector provider today

01256 638500 | [www.habitech.co.uk](http://www.habitech.co.uk)


Unit K, The Loddon Centre, Wade Rd, Basingstoke RG24 8FL



## INDEX

CPR Ratings .....	1
Network Cables .....	3
Speaker Cables .....	7
Fibre Cables .....	13
Control Cables .....	17
Coaxial and Mic/Line Level Cables .....	20
HDMI Cables .....	23
Patch Cables .....	29
Catx Connectors .....	33
Fibre Optic Connectors .....	42
AV Connectors .....	49
Pro Tools .....	53





This above guide is for visual representation only.

## CPR REGULATIONS

Since 2017 any bulk cable sold in the EU must comply with strict fire performance requirements, (Construction Product Regulations) and be marked as such. Because the CPR only applies to cables permanently installed in buildings, interconnects such as patch leads and HDMI cables, in general, are excluded from the regulation, as are specific direct burial external cables.

Broadly speaking there are 4 common Euro Classes that low voltage cables must comply with, namely Bca, Cca, Dca and Eca; each with its own reaction to fire and the degree of smoke, flaming droplets and smoke acidity produced during the test. Bca being the “best” and Eca the most basic.

It’s worth noting that there is currently no UK legal requirement for any specific class, therefore designers and specifiers are free to select any class so long as their decision reflects the demands of other applicable regulations and the environment.

All Habitech bulk cables are certified to one of the 4 CPR ratings, and individual DOP certificates are available on request (or via our website.)




# NETWORK CABLES

---

## NETWORK CABLES

Habitech supplies SCP's (Structured Cable Products) range of Network, Speaker and Control cables. As a global leader in low voltage bulk cable all SCP conforms to EU CPR regulations and exceeds TIA/EIA requirements..






SCP's network cable are designed for superior performance on all HDBaseT distribution applications and are clearly marked with sequential foot/metre markings for ease of pulling.










Our range of Premium SCP network cable covers basic Cat5e U/UTP, through CAT6/6a to Cat7a S/FTP. Available in a choice of colours, CPR ratings and LSZH (Low Smoke Zero Halogen) options.

Other CPR rated network cables for specific environments available on request  
For Catx connectors please see page 36-41

SKU	SCP-CAT7A-LSZH-DCA-BL	SCP-CAT6A-SH-LSZH-DCA-BL	SCP-CAT6A-DCA-LSZH-10G	SCP-CAT6A-DCA-10G	SCP-CAT6A-DCA-10G-BK
Photo					
Type	CAT7a	CAT6a	CAT6a	CAT6a	CAT6a
Speed	10Gb	10Gb	10Gb	10Gb	10Gb
Frequency	1200MHz	600MHz	600MHz	600MHz	600MHz
Jacket	S/FTP	U/FTP	U/UTP	U/UTP	U/UTP
CPR	Dca	Dca	Dca	Dca	Dca
LSZH	Yes	Yes	Yes	No	No
Reel Length	305m	305m	305m	305m	305m
Environment	Indoor	Indoor	Indoor	Indoor	Indoor/Outdoor
Colour	●	●	● ● ● ● ○	● ● ● ● ○	●

SKU	SCP-CAT6-DCA-LSZH	SCP-CAT6-DCA	SCP-CAT6-DCA-BK	SCP-CAT5-DCA	SCP-HNC-18-ECA-BL
Photo					
Type	CAT6	CAT6	CAT6	CAT5e	3 x CAT6 + 1 x RG6
Speed	1Gb	1Gb	1Gb	1Gb	1Gb
Frequency	550MHz	550MHz	550MHz	350MHz	550MHz
Jacket	U/UTP	U/UTP	U/UTP	U/UTP	U/UTP
CPR	Dca	Dca	Dca	Dca	Eca
LSZH	Yes	No	No	No	No
Reel Length	305m	305m	305m	305m	152m
Environment	Indoor	Indoor	Indoor/Outdoor	Indoor/Outdoor	Indoor
Colour	● ● ●	● ● ● ● ○	●	● ●	●




---

## SPEAKER CABLES

Habitech supplies SCP's (Structured Cable Products) range of Network, Speaker and Control cables. As a global leader in low voltage bulk cable all SCP conforms to EU CPR regulations and exceed TIA/EIA requirements.

SCP speaker cables are well known for having exceptional quality, performance, and value in the custom installation industry.






Our Speaker Cables are manufactured using high strand count conductors made from pure oxygen free copper, delivering optimum system performance for even the most discriminating audiophile.








**SPEAKER  
CABLES**

Our extensive range covers cost effective contractor series, through to 12 AWG in both 2 and 4 cores. Available in multiple colours, CPR ratings and LSZH (Low Smoke Zero Halogen) options. The Outdoor and Direct Burial Gel filled cables are especially suited for Sonance Outdoor Series Speakers wiring

Ask about our custom lengths  
For banana plugs please see page 51

SKU	SCP-4.0-4-LSZH-BK-100M	SCP-12-2-OFC-LSZH-DCA-WH	SCP-12-4-OFC-LSZH-DCA-BK	SCP-14-2-OFC-LSZH-DCA-OR	SCP-14-4-OFC-LSZH-DCA-**
Photo					
Cores	4	2	4	2	4
AWG	12	12	12	14	14
Core Area (mm2)	4mm	3.5mm	3.5mm	2.5mm	2.5mm
Strand Count	56	65	65	105	105
CPR	Bca	Dca	Dca	Dca	Dca
LSZH	Yes	Yes	Yes	Yes	Yes
Reel Length	100m	152m	152m	152m	152m
Environment	Indoor/Outdoor	Indoor	Indoor	Indoor	Indoor
Colour	●	○	●	●	● ○

SKU	SCP-2-5-4-LSZH-BCA-WH	SCP-14-2-OFC-IO-DCA-BK	SCP-14-4-OFC-IO-DCA-BK	SCP-14-2-DB-100	SCP-14-4-DB-100
Photo					
Cores	4	2	4	2	4
AWG	14	14	14	14	14
Core Area (mm2)	2.5mm	2.1mm	2.1mm	2.1mm	2.1mm
Strand Count	50	105	105	105	105
CPR	Bca	Dca	Dca	N/A	N/A
LSZH	Yes	No	No	No	No
Reel Length	152m	152m	152m	100m	100m
Environment	Indoor	Indoor/Outdoor	Indoor/Outdoor	Direct Burial	Direct Burial
Colour	○	●	●	●	●




Our extensive range covers cost effective contractor series, through to 12 AWG in both 2 and 4 cores. Available in multiple colours, CPR ratings and LSZH (Low Smoke Zero Halogen) options. The Outdoor and Direct Burial Gel filled cables are especially suited for Sonance Outdoor Series Speakers wiring

Ask about our custom lengths  
For banana plugs please see page 51

SKU	SCP-16-2-OFC-LSZH-DCA-OR	SCP-16-2-OFC-DCA-OR	SCP-16-4-OFC-LSZH-DCA-OR	SCP-16-4-OFC-DCA-OR
Photo				
Cores	2	2	4	2
AWG	16	16	16	16
Core Area (mm <sup>2</sup> )	1.5mm	1.5mm	1.5mm	1.5mm
Strand Count	65	65	65	65
CPR	Dca	Dca	Dca	Dca
LSZH	Yes	Yes	Yes	Yes
Reel Length	305m	305m	152m	152m
Environment	Indoor	Indoor	Indoor	Indoor
Colour	●	●	●	●

SKU	SCP-1-5-2-LSZH-BCA-WH	SCP-16-2-OFC-WH-500	SCP-16-2-SP-ECA-WH	SCP-16-4-SP-ECA-WH
Photo				
Cores	2	2	2	4
AWG	16	16	16	16
Core Area (mm <sup>2</sup> )	1.5mm	1.3mm	1.3mm	1.3mm
Strand Count	30	65	26	26
CPR	Bca	Dca	Eca	Eca
LSZH	Yes	No	No	No
Reel Length	305m	152m	152m	152m
Environment	Indoor	Indoor	Indoor	Indoor
Colour	○	○	○	○



# FIBRE CABLES

---

## FIBRE CABLES

Habitech are proud to supply the revolutionary SSF fibre solutions from Cleerline.

Cleerline provides end-to-end solutions for every fibre optic installation. Whether your installation is in a residential dwelling or a commercial environment, Cleerline has the fibre optic components you need. From unique fibre optic cable to connectors, termination tools, enclosures, and more, Cleerline is Fibre Optics Redefined.

Cleerline SSF™ Stronger, Safer, Faster-to-terminate optical fiber uses an innovative Glass, Glass, Polymer design. The integral SSF™ polymer coating dramatically improves the bend insensitivity and strength of the glass, allowing fibre termination in as little as one minute.








Cleerline SSF fibre is available in a wide range of single, duplex and micro distribution jackets, including direct burial armoured multi core. In general, we recommend multimode OM3 for fibre runs up to 1000 feet or 300 meters. Single mode is generally recommended for distances above this, although it can also be utilized at shorter distances.

Ask about our custom lengths  
For fibre connectors please see page 42-43

Additional outdoor options available to factory order. Please ask

SKU	CLE-S50125MOM3CCA	CLE-D50125MOM3CCA	CLE-D29125SMOSP	CLE-4D50125MOM3CCA
Photo				
Mode	OM3	OM3	OS2	OM3
Cores	1	2	2	4
CPR	Cca	Cca	Cca	Cca
Reel Length	304m	304m	304m	304m
Custom Length	Yes	Yes	Yes	Yes
Environment	Indoor/Outdoor (Duct)	Indoor/Outdoor (Duct)	Indoor/Outdoor (Duct)	Indoor/Outdoor (Duct)


CLE-6D50125MOM3DCA	CLE-12D50125MOM3DCA	CLE-6ACS9125OS2PE	SKU
			Photo
OM3	OM3	OS2	Mode
6	12	6	Cores
Dca	Dca	N/A	CPR
304m	304m	600m/1219m	Reel Length
No	No	Yes	Custom Length
Indoor/Outdoor (Duct)	Indoor/Outdoor (Duct)	Direct Burial	Environment

---

## CONTROL AND COAXIAL CABLES

SCP's Universal Control cables are the ideal cable solution for Control4, AMX, and other control systems. No need to put a Crestron or Lutron labeled cable in a Control4 install. SCP's Universal Control cables are made to exacting specifications to work in most if not all control systems on the market.











For Coaxial requirements the SCP100 is a dual shield all copper coax cable suitable for all TV Aerial and Satellite installations

A close-up photograph of a network switch or patch panel. The panel has several ports labeled 'Line 1' through 'Line 10'. There are also ports labeled 'TX Out', 'RX In', 'LoSync', and 'Error'. Several black cables are plugged into the ports. The text 'CONTROL AND COAXIAL CABLES' is overlaid in white on the bottom right of the image.

**CONTROL AND  
COAXIAL CABLES**









Our range of universal 4 core control cable come in a variety of wire gauges, coupled with LSZH options, suitable for most control system applications.



SKU	SCP-CTRL-1-DCA-YL-R	SCP-CTRL-1-LSZH-DCA-YL-R	SCP-CTRL-2-DCA-YL	SCP-CTRL-2-LSZH-DCA-YL	SCP-CTRL-3-LSZH-ECA-YL
Photo					
Cores	4	4	4	4	4
Pair 1 AWG	18	18	16	16	14
Pair 2 AWG	22	22	22	22	22
CPR	Dca	Dca	Dca	Dca	Eca
LSZH	No	Yes	No	Yes	Yes
Shield	Pair 2	Pair 2	Pair 2	Pair 2	Pair 2
Drain Wire	Yes	Yes	Yes	Yes	Yes
Reel Length	305m	305m	152m	152m	152m
Environment	Indoor	Indoor	Indoor	Indoor	Indoor
Comparable to	Crestron® Crestnet® NP and Lutron® GRX-CBL-346S		Lutron® QSH-CBL-M-500		Various
Colour					



SCP100 is a dual shield copper coax cable comparable in spec to WF100, and suitable for all TV Aerial and Satellite installations. Planet Waves Single and Dual HD Coax have a small, flexible OD making it perfect for rack interconnects for everything from HD Satellite, CATV, Analogue to Digital Audio, Subwoofers etc. For Planet Waves Connectors please see pages 49-52

SCP-100-ECA-LSZH-BK	PLA-CXSCHD	PLA-CXDCHD	SKU
			Photo
1	1	2	Cores
75	75	75	Ohm
Eca	N/A	N/A	CPR
Yes	CM & CL2	CM & CL2	LSZH
Dual	Dual	Dual	Shield
250m	100ft/250ft/500ft* <small>* Not all colours available in all lengths</small>	100ft/250ft/500ft	Reel Length
Indoor	Indoor	Indoor	Environment
			Colour

SCP Analogue Audio cables can be used in permanent or semi-permanent installations and are fully compatible with microphone or line level signals. Available in one or two individually foil-shielded pairs with color coded conductors and a Dca LSZH jacket.

SKU	SCP-22-2-ESH-LSZH-GY	SCP-22-4-EP SH-LSZH-GY
Photo		
Cores	2	4
Conductor	22AWG	22AWG
CPR	Dca	Dca
LSZH	Yes	Yes
Shield	Yes	Yes
Reel Length	305m	305m
Colour	•	•







# HDMI CABLES

---

## HDMI CABLES

We've picked the best available HDMI cables from a variety of manufacturers, incorporating both traditional copper and AOC Optical cables.






With cables capable of supporting 4K (18Gbps) & 8k (48Gbps), HDMI 2.1 and lengths from 0.5m to 100m we have an HDMI cable for every scenario; even outdoor armoured!

With the increasing popularity of inbuilt streaming service apps in TV's, the requirement for ARC and eARC has increased greatly. All our HDMI cables support ARC, with eARC on selected cables, to ensure your audio is as dynamic as your picture.








HDMI has evolved as the de-facto interconnect between AV devices and is capable of carrying a huge variety of different formats of video and audio information.

With this reliance on such a critical cable in mind, Habitech have selected these industry leading HDMI cables below for your viewing pleasure!

SKU	SCP-990UHDV-#	SCP-991UHD-#	SCP-944E-35	SCP-995AOC-LSZH-#	WYR-CAB-HAOC-#
Photo					
Brand	SCP	SCP	SCP	SCP	Wyrestorm
Resolution	4k 18Gbps	4k 18Gbps	4k 18Gbps	4k 18Gbps	4k 18Gbps
Type	Copper	Copper	Copper	Hybrid AOC	Hybrid AOC
Unidirectional	Yes	Yes	Yes	No	No

HDMI has evolved as the de-facto interconnect between AV devices and is capable of carrying a huge variety of different formats of video and audio information.





With this reliance on such a critical cable in mind, Habitech have selected these industry leading HDMI cables below for your viewing pleasure!

SKU	WYR-CAB-HAOC-#-C	NET-EX-HC24-#	NET-EX-HC24-D-#	SCP-996AOC	SCP-992-UHS-#
Photo					
Brand	Wyrestorm	Netvio	Netvio	SCP	SCP
Resolution	4k 18Gbps	4k 18Gbps	4k 18Gbps	4k 18Gbps	8k 48Gbps
Type	Hybrid AOC	Hybrid AOC	Hybrid AOC	Hybrid AOC (Armoured Outdoor)	Copper
Unidirectional	No	No	No	No	Yes



HDMI has evolved as the de-facto interconnect between AV devices and is capable of carrying a huge variety of different formats of video and audio information.

With this reliance on such a critical cable in mind, Habitech have selected these industry leading HDMI cables below for your viewing pleasure!

SKU	WYR-CAB-HAOC-FRL-#	NET-EX-HC48-#	CLE-SSF-48UHD-AOC-#	CLE-SSF-AOCPI
Photo				
Brand	Wyrestorm	Netvio	Cleerline	Cleerline
Resolution	8k 48Gbps	8k 48Gbps	8k 48Gbps	4k/8k
Type	Hybrid AOC	Hybrid AOC	Hybrid AOC	5v Power injector (Display end)
Unidirectional	No	No	No	No







# PATCH LEADS



## PATCH LEADS

Available in a choice of lengths Habitech's range of CATx and fibre patch leads ensure not only fast and reliable connections, but when coupled with our range of panel keystone adaptors make a seamless secure connection every time.











Factoring in engineers time it can often be preferable to buy pre-terminated patch leads rather than making your own from bulk cable. With factory fitted strain reliefs and a choice of lengths you can be assured our patch cables work first time, every time.

Keystone adaptors on Page 47

SKU	SCP-C6PC-#	SCP-C6APC-LSZH-#
Photo		
Type	CAT6	CAT6a
Speed	1Gb	10Gb
Frequency	550MHz	600Mhz
Shielding	U/UTP	S/FTP
LSZH	No	Yes
Length	0.3m/0.5m/1m/2m/3m	0.3m/0.5m/1m/2m/3m
Pack Size	Single or 10 pack	Single
Colour		

CLE-3DOS2LCLC0-#	CLE-3DOM3SCSC01M	CLE-3DOM3LCLC-#	SKU
			Photo
Fibre	Fibre	Fibre	Type
OS2	OM3	OM3	Mode
Duplex	Duplex	Duplex	Cores
LC-LC	SC-SC	LC-LC	Connectors
1m/2m	1m	1m/3m/10m	Length
Single	Single	Single	Pack Size
			Colour

---

## CONNECTORS

Premium cables deserve premium connectors and Habitech have an unrivalled range of Network, Fibre and A/V connectors from the world's foremost brands.

Simply45's range of Cat5e – Cat7a shielded and unshielded connectors include a choice of standard crimp, pass through or Pro Series including the patented Cap45 and Bar45 for ease of termination. Tool-less Cat connectors are available from SCP.

Cleerline's range of LC/SC/APC Fibre connectors work seamlessly with the Cleerline SSF fibre, and termination is achieved in under a minute! Also compatible with standard Non-SSF fibre optic cabling (9/125 & 50/125)

Planet Waves revolutionary range of AV connectors enable quick and reliable connection in 3 simple steps, just cut, twist and screw. No wire stripping or soldering required.



# CONNECTORS



These comprehensive kits contain all you need to get started with Simply45 Pass Thru connectors as they contain plugs, specialist pass through Crimp tool plus other accessories to make quick and reliable terminations, time after time. Simply replenish the connectors from the standard bulk tubs (see pages 37-39)

GSC-S45-PSK10G	GSC-S45-PSK6S	GSC-S45-PSK6U	GSC-S45-PTK6U	GSC-S45-PTK56U	SKU
					Photo
S45-1755P	S45-1750P	S45-1700P	S45-1600	S45-1501/1601	Connectors
50	50	100	100	50/50	QTY
CAT6/6a/7/7a STP	CAT6/6a STP	CAT6/6a UTP	CAT6 UTP	CAT5e/6 UTP	Cable Type
S45-C101	S45-C101	S45-C101	S45-C100	S45-C100	Crimp Tool
Yes	Yes	Yes	Yes	Yes	Cable Stripper
Yes	Yes	Yes	Yes	Yes	Flush Cutter
S45-B003	S45-B003	S45-B002	S45-B002	No	Strain Reliefs





S45 Catx connectors ensure fast and reliable connections. Whether it's a standard CATx plug, a Pass Thru connector or the Pass Through Pro Series there's a connector for every cable. All colour coded in easy access tubs for quick identification.

SKU	GSC-S45-1000	GSC-S45-1050	GSC-S45-1100	GSC-S45-1150	GSC-S45-1155
Photo					
Cable Type	Cat5e	Cat5e	Cat6/6a	Cat6/6a	Cat6a/7/7a
QTY	100	50	100	50	50
Shielded	No	Yes	No	Yes	Yes
Standard	Yes	Yes	Yes	Yes	Yes
Pass Thru	No	No	No	No	No
Bar 45	No	No	Yes	Yes	Yes
Cap 45	No	No	No	No	No
Tint	●	●	●	●	●

SKU	GSC-S45-1500	GSC-S45-1501	GSC-S45-1550	GSC-S45-1600	GSC-S45-1601
Photo					
Cable Type	Cat5e	Cat5e	Cat5e	Cat6/6a	Cat6/6a
QTY	100	50	50	100	50
Shielded	No	No	Yes	No	No
Standard	No	No	No	No	No
Pass Thru	Yes	Yes	Yes	Yes	Yes
Bar 45	No	No	No	No	No
Cap 45	No	No	No	No	No
Tint	●	●	●	●	●



S45 Catx connectors ensure fast and reliable connections. Whether it's a standard CATx plug, a Pass Thru connector or the Pass Through Pro Series there's a connector for every cable. All colour coded in easy access tubs for quick identification.

SKU	GSC-S45-1700	GSC-S45-1700P	GSC-S45-1750P	GSC-S45-1755P
Photo				
Cable Type	Cat6/6a	Cat6/6a	Cat6/6a	Cat6/6a/7/7/a
QTY	100	100	50	50
Shielded	No	No	Yes	Yes
Standard	No	No	No	No
Pass Thru	Yes	Yes	Yes	Yes
Bar 45	No	No	Yes	Yes
Cap 45	No	Yes	Yes	Yes
Tint	●	●	●	●




Strain Relief Boots

GSC-S45-B001	GSC-S45-B002	GSC-S45-B003	SKU
			Photo
Cat5e	Cat6/6a	Large OD	S45 Connector Type
100	100	100	QTY
●	○ Clear	○ Clear	Tint



SCP's Pro Grade 10G Field Plugs require no crimping or specialist tools, and include a load bar for quick reliable terminations. Available as fully shielded or unshielded and can be coupled with SCP's matching Keystone jacks.

Cleerline's SSF fibre connectors can be terminated in less than a minute. No need for epoxy or curing, simply cleave and lock into the SSF connector. We offer LC and SC connectors for MultiMode and SingleMode plus SingleMode APC connectors and FC threaded plugs for Sky optical LNB connections.

SKU	SCP-10G-FP	SCP-10G-FP-U	SCP-10G-FPS
Photo			
Cable Type	Cat6a/7/7a	Cat6a/7/7a	Cat6a/7/7a
QTY	10	10	10
Shielded	Yes	No	Yes
Standard	Yes*	Yes*	Yes*
Pass Thru	No	No	No
Bar 45	NO	No	No
Cap 45	No	No	No
Tint	● Silver	○ Clear	● Silver

SKU	SCP-KJ180U-CAT6-6A	SCP-CAT6A-SH-JACK
Photo		
S45 Connector Type	Cat6/6a	Cat6/6a/7a
QTY	1	1
Tint	No	Yes
Colour	● ○	●

SKU	CLE-SSF-LC-MMFPC-10/25	CLE-SSF-LC-SMAPC-10/25	CLE-SSF-LC-SMUPC-10	CLE-SSF-SC-MMFPC-10/25
Photo				
Connector Type	LC	LC	LC	SC
Fibre Type	OM3/OM4	OS2	OS2	OM3/OM4
Polish	Ultra Physical Contact	Angled Physical Contact	Ultra Physical Contact	Ultra Physical Contact
QTY	10 / 25	10 / 25	10	10 / 25
Colour	●	●	●	●



Cleerline's SSF fibre connectors can be terminated in less than a minute. No need for epoxy or curing, simply cleave and lock into the SSF connector. We offer LC and SC connectors for MultiMode and SingleMode plus SingleMode APC connectors and FC threaded plugs for Sky optical LNB connections.

SKU	CLE-SSF-SC-SMAPC-10/25	CLE-SSF-SC-SMUPC-10	CLE-SSF-FC-SMUPC-10
Photo			
Connector Type	SC	SC	FC
Fibre Type	OS2	OS2	OS2
Polish	Angled Physical Contact	Ultra Physical Contact	Ultra Physical Contact
QTY	10 / 25	10	10
Colour	●	●	●



For a simple way of joining two same type fibre, these Feed-Thru adaptors enable two lengths of SSF terminated fibre to simply be plugged together with a less than 0.1dB loss. Use either as a standalone joint, or in compatible wall boxes.

SKU	CLE-SSF-SLCLC-MMADP	CLE-SSF-DLCLC-MMADP	CLE-SSF-SLCLC-SMADP	CLE-SSF-DLCLC-SMADP
Photo				
Style	Simplex Feedthru	Duplex Feedthru	Simplex Feedthru	Duplex Feedthru
Connector	LC to LC	LC to LC	LC to LC	LC to LC
Fibre Type	OM3/OM4	OM3/OM4	OS2	OS2
QTY	Single	Single	Single	Single
Colour	•	•	•	•

For a simple way of joining two same type fibre, these Feed-Thru adaptors enable two lengths of SSF terminated fibre to simply be plugged together with a less than 0.1dB loss. Use either as a standalone joint, or in compatible wall boxes.



SKU	CLE-SSF-SSCSC-MMADP	CLE-SSF-DSCSC-MMADP	CLE-SSF-SSCSC-SMADP	CLE-SSF-DSCSC-SMADP
Photo				
Style	Simplex Feedthru	Duplex Feedthru	Simplex Feedthru	Duplex Feedthru
Connector	SC to SC	SC to SC	SC to SC	SC to SC
Fibre Type	OM3/OM4	OM3/OM4	OS2	OS2
QTY	Single	Single	Single	Single
Colour	•	•	•	•



For a simple way of joining two same type fibre, these Feed-Thru adaptors enable two lengths of SSF terminated fibre to simply be plugged together with a less than 0.1dB loss. Use either as a standalone joint, or in compatible wall boxes.

Whether you need a pre-populated patch panel or un-populated to insert your own keystone adaptors, Habitech have a wide choice of patch panels and keystone. Un-populated gives you the option customising your infrastructure with a mix of Copper and Fibre keystone adaptors, in the same 1U or 2U space, saving money and rack space. Shielded and unshielded panels all come with rear cable management bars and port labels. Accepts internationally standardised keystone snap-in modules.





SKU	CLE-SSF-SSCSC-SMAPCADP	CLE-SSF-LC-MMKIW	CLE-SSF-B-SC-MM-KIW
Photo			
Style	Simplex Feedthru	Duplex Keystone	Simplex Keystone
Connector	SC/APC to SC/APC	LC to LC	SC to SC
Fibre Type	OS1/OS2	OM3/OM4	OM3/OM4
QTY	Single	Single	Single
Colour	●	●	●

SKU	SCP-324-6	SCP-324U	SCP-348U	SCP-324U-6A-SH
Photo				
Compatibility	CAT6	CAT6 / Fibre	CAT6 / Fibre	CAT6/6a/7a STP / Fibre
Ports	24	24	48	24
Populated	Yes	No	No	No
Shielded	No	No	No	Yes

All Planet Waves connectors are designed to meet systems' requirements with precise coax construction and specifications, delivering total signal transparency. All RCA and F-Type connectors affix quickly and easy with a simple 3 step assembly process, saving time on wiring up racks when used with Planet Waves precision 75 Ohm Cable.




We recommend SCP speaker cable as a perfect pairing with PW banana plugs as well as being fully compatible with all leading brands of speaker cable in 12/14/16AWG


SKU	PLA-BCFP10	PLA-BCRCAP10	PLA-BCRCAP50	PLA-RCAP50
Photo				
Type	F Type Male	RCA Male	RCA Male	RCA Male
Finish	Brushed Chrome	Brushed Chrome	Brushed Chrome	Nickel Plated
Pack QTY	10	10	50	50
Cable Type	PW 3/16" Coaxial	PW 3/16" Coaxial	PW 3/16" Coaxial	PW 3/16" Coaxial

SKU	PLA-BCRTRCAP5	PLA-BCRCAFP10	PLA-ST35MMP5	PLA-BC35MMP5
Photo				
Type	RCA Male Right Angle	RCA Female	3.5mm Mono Male	3.5mm Mono Female
Finish	Brushed Chrome	Brushed Chrome	Nickel Plated	Brushed Chrome
Pack QTY	10	10	5	5
Cable Type	PW 3/16" Coaxial	PW 3/16" Coaxial	PW 3/16" Coaxial	PW 3/16" Coaxial



All Planet Waves connectors are designed to meet systems' requirements with precise coax construction and specifications, delivering total signal transparency. All RCA and F-Type connectors affix quickly and easy with a simple 3 step assembly process, saving time on wiring up racks when used with Planet Waves precision 75 Ohm Cable. We recommend SCP speaker cable as a perfect pairing with PW banana plugs as well as being fully compatible with all leading brands of speaker cable in 12/14/16AWG.

SKU	PLA-BSPKP50-12/14/16	PLA-P047NNN	PLA-NRINGS100
Photo			
Type	Banana Plug	Y Adaptor Intersect	Colour Rings
Finish	Nickel Plated	Nickel Plated	Orange/Red/White
Pack QTY	50	1	100
Cable Type	12/14/16AWG Speaker	PW 3/16" Coaxial	RCA and Banana Plugs





# TOOLS

---

## TOOLS

Often a personal choice as to what's in your toolbox, having the correct tools for the job can make the difference between an on time, seamless install as opposed to costly overruns and site re-visits.

Habitech's range of tried and tested Pro Tools ensure the exact match to the requirement, with quality, ease of use and value for money at the forefront.

Whether you're new to fibre and need to tool up, or have discovered your old crimp tool is simply not cutting it with the new Range of Pass Thru CAT connectors we've got the right Pro Tools for the job.







Simply 45 have a full range of crimp tools, covering standard and pass through connectors, both shielded and UTP. Featuring a ratcheted action they ensure a full compression cycle every time to prevent incomplete plug termination.

SKU	GSC-S45-C100	GSC-S45-C101
Photo		
Description	Simply45 Pass Through Crimper for UTP Plugs	Simply45 ProSeries Heavy Duty Crimp Tool for all Simply45 Brand RJ45 Connectors

SKU	GSC-S45-C200	GSC-S45-C250
Photo		
Description	Simply45 Universal (most brands) Standard RJ45 Crimp Tool- UTP RJ45 Mod Plugs	Simply45 Universal (most brands) Standard RJ45 Crimp Tool- Shielded RJ45 Mod Plugs





Pass through crimp tools feature easy to change trimming blades for continued flush cutting and the wire strippers are fully adjustable for every cable type.

GSC-S45-C190	GSC-S45-801	SKU
		Photo
Simply45 Replacement Blades for Simply45 RJ45 Crimp Tools- 1 set of 2 blades	Simply45 Premium Flush Cutter	Description




GSC-S45-S01BL	GSC-S45-S01YL	SKU
		Photo
Simply45 Adjustable Cat7a/6a/6/5e UTP/STP Stripper - Blue	Simply45 Adjustable Cat7a/6a/6/5e UTP/STP Stripper - Yellow	Description

Cleerline fibre termination kits contain everything you need to strip, cleave and terminate SSF fibre in under 60 seconds.

Coupled with a choice of cleaning supplies and testing devices you'll be successfully terminating and verifying your fibre installations at the speed of light!

SKU	CLE-FKIT02E	CLE-FKIT03P	CLE-SSF-TKITE-100	CLE-SSF-TKITP-400
Photo				
Description	Cleerline Entry Level Fibre Termination Kit	Cleerline Professional Fibre Termination Kit	Cleerline SSF fibre optic test kit	Cleerline SSF Pro Fibre Test Kit

SKU	CLE-SSF-CKIT01E	CLE-SSF-1CLK-LC	CLE-SSF-1CLK-SC
Photo			
Description	Cleerline SSF fibre optic cleaning kit	Cleerline LC One Click Pen Cleaner	Cleerline SC One Click Pen Cleaner

CLE-SSF-ACS-TOOL	CLE-SSF-SPLICE-TOOL	CLE-SSF-SPLICE-10	SKU
			Photo
Cleerline Armoured cable slitting tool	Cleerline Mechanical Splicer Tool	Cleerline SSF™ Mechanical Splice Protector Round Type. Pack of 10	Description

CLE-SSF-VFL-100	CLE-VFL-ADP	SKU
		Photo
Cleerline 650 nm red visible laser diode fault locator for single and multimode fibre. SC Connectors only without CLE-VFL-ADP	Cleerline 2.5mm to 1.5mm SC to LC adapter. Required for LC connector testing with SSF-VFL-100	Description





01256 638500 | [sales@habitech.co.uk](mailto:sales@habitech.co.uk) | Unit K, The Loddon Centre, Wade Rd, Basingstoke RG24 8FL